


```
-> connecting to agent_network...  
[INFO] Agent_001 active  
[INFO] Agent_001 active  
-> monitoring resource usage...  
-> trace: 78e23a11-aacc-bo2e-b33e-4076-b81c7093a38c  
-> logs: stream_open  
-> logs: stream_open  
)
```



# ● AgentLand Observability

## Air Traffic Control for AI Coding Agents



# You are flying blind.

Running multiple AI coding agents simultaneously means tab-switching, scrolling through endless output, and hoping nothing breaks.

## The 'Black Box' Problem:

You don't know what decisions are being made until it's too late.



# The Ears: Hooks & Safety

Python scripts plug directly into agent hooks. They capture events and fail silently—if the server is down, your agents keep working.



JetBrains Mono: Protocol: Lightweight HTTP POST delivery

# The Brain: The Server

```
// In-Memory Speed: WAL mode for concurrent reads/writes.  
// Real-Time: Immediate distribution to clients.  
// Storage: Transcripts and 'Thinking Blocks' saved to disk.
```

REST API

Server



Bun



SQLite

WebSocket Broadcast

# The Eyes: Real-Time Visibility

Watch events stream instantly.  
Identify agents by Project Name  
or Source App.

**Human-in-the-loop:** Respond  
to agent questions directly in  
the feed.

**AgentLand Live Dashboard**

### Swim Lanes

- claude-code:a3f8** ● Active
  - [10:02:35] Modified src/app.tsx
  - [10:02:45] Updated components/Header.tsx
  - [10:02:50] Refactored utils/api.ts
  - [10:03:09] Committed changes to feature/auth
- gemini-cli** ● Idle
  - I need to confirm: Should I proceed with the deployment to staging? [Yes/No]
  - 
  - [Reply](#)

# Analytics & History

Move beyond the live feed. Analyze aggregate KPIs and audit full conversation histories stored permanently on disk.

## Insights



## Transcripts

User: What's the status of the build?

Agent: The build successfully completed at 10:45 AM. The build imis been successfullly completed at from agent-a.

► View Thinking Process

INTERNAL REASONING:

- > Analyzing request type: Build Status Query.
- > Checking active agents: agent-a (active), agent-b (idle).
- > Tool Selection: Retrieve build logs from agent-a.
- > Executing: `get_logs('agent-a')`
- > Processing results: Status is SUCCESS.

Agent: The build successfully completed at 10:45 AM.

# The Judge: Quality Control on Autopilot

Asynchronous evaluation runs in the background, scoring agent performance and flagging degradation automatically.

## The Evaluators



### Tool Success

JetBrains Mono

Pass/Fail rates



### Regression Detection

JetBrains Mono


Z-score vs 7-day baseline



### Transcript Quality

JetBrains Mono

LLM graded (1-5 scale)




### Reasoning Quality

JetBrains Mono

Depth & coherence check.

# The Event Pipeline

From agent decision to dashboard visualization in milliseconds.



**< 50ms Total Latency**

# Deliberately Lightweight

Runs entirely locally on your machine. Zero external dependencies.

## Bento Box

### Server



Bun



SQLite

### Client



### Hooks



### Testing



Playwright

**NO DOCKER.  
NO CLOUD.  
NO EXTERNAL DBs.**

# If you run agents on real codebases, you must watch what they do.

Move from hoping for the best to measuring tool failures, reasoning quality, and regression.



The Old Way (Opaque)



AgentLand (Measurable)

# AgentLand Observability



**CAPTURE. VISUALIZE. EVALUATE.**

Control the chaos.